



Water cooling system UEWK-SYS-240

Description:

The UEWK-SYS-240 is a powerful industry water cooling system. It is designed in a very compact way and can be used as a stand alone or a build-in solution.

The components of the cooling system are fully integrated in a sturdy powder-coated and stainless steel housing. All connections and terminals for hydraulic, power, etc. are mounted for easy accessibility at the front of the device. The cooling water connections are designed as self-locking CPC NS2 fittings.



The system fan can be adjusted manually. The integrated status LEDs indicate normal operation or any error visually to the unit.

The filling of the system is simple and easily via the filler neck at the top of the cooling system.

Features:

- Minimal operating sound
- Quality Made in Germany
- Top performance
- Very efficient cooling
- Cooling system: Passive / direct cooling
- Error and power LED on the front
- Extremely low power consumption (10W max)

Technische Daten:

- Thermal resistance standard: approx. 0.06 ... 0.04 K/W
- Temperature control: $\pm 1\text{K}$ (can be improved to $\pm 0.25\text{K}$)
- Standard temperature range: 25°C to 50°C
- Maximum temperature: Up to max. 60°C Media-Temperature
- Pump: max. 1,6mWs 250l/h
- Leistungsaufnahme: 12VDC= / max. 10W
- Options: USB, 24VDC

Änderungen und Irrtümer vorbehalten. Errors and omissions excepted!